

## Subtracting Two Mixed Fractions (A)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 10\frac{2}{8} - 5\frac{4}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

Convert ↑                      Solve                      Simplify                      Convert ↓

$$2. \quad 7\frac{1}{8} - 1\frac{1}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$3. \quad 10\frac{4}{5} - 7\frac{1}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$4. \quad 9\frac{4}{5} - 2\frac{2}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$5. \quad 8\frac{4}{6} - 5\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$6. \quad 7\frac{1}{5} - 5\frac{1}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$7. \quad 6\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$8. \quad 7\frac{2}{6} - 4\frac{2}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$9. \quad 8\frac{3}{6} - 2\frac{3}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$10. \quad 6\frac{1}{3} - 1\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

## Subtracting Two Mixed Fractions (A) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 10\frac{2}{8} - 5\frac{4}{8} = \frac{82}{8} - \frac{44}{8} = \frac{38}{8} = \frac{19}{4} = 4\frac{3}{4}$$

$$2. \quad 7\frac{1}{8} - 1\frac{1}{8} = \frac{57}{8} - \frac{9}{8} = \frac{48}{8} = \frac{6}{1} = 6$$

$$3. \quad 10\frac{4}{5} - 7\frac{1}{5} = \frac{54}{5} - \frac{36}{5} = \frac{18}{5} = 3\frac{3}{5}$$

$$4. \quad 9\frac{4}{5} - 2\frac{2}{5} = \frac{49}{5} - \frac{12}{5} = \frac{37}{5} = 7\frac{2}{5}$$

$$5. \quad 8\frac{4}{6} - 5\frac{1}{6} = \frac{52}{6} - \frac{31}{6} = \frac{21}{6} = \frac{7}{2} = 3\frac{1}{2}$$

$$6. \quad 7\frac{1}{5} - 5\frac{1}{5} = \frac{36}{5} - \frac{26}{5} = \frac{10}{5} = \frac{2}{1} = 2$$

$$7. \quad 6\frac{1}{2} - 1\frac{1}{2} = \frac{13}{2} - \frac{3}{2} = \frac{10}{2} = \frac{5}{1} = 5$$

$$8. \quad 7\frac{2}{6} - 4\frac{2}{6} = \frac{44}{6} - \frac{26}{6} = \frac{18}{6} = \frac{3}{1} = 3$$

$$9. \quad 8\frac{3}{6} - 2\frac{3}{6} = \frac{51}{6} - \frac{15}{6} = \frac{36}{6} = \frac{6}{1} = 6$$

$$10. \quad 6\frac{1}{3} - 1\frac{1}{3} = \frac{19}{3} - \frac{4}{3} = \frac{15}{3} = \frac{5}{1} = 5$$

## Subtracting Two Mixed Fractions (B)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $6\frac{5}{6} - 3\frac{2}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $10\frac{8}{9} - 5\frac{4}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $6\frac{1}{4} - 2\frac{3}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $9\frac{1}{2} - 7\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $9\frac{2}{8} - 7\frac{1}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $6\frac{3}{5} - 3\frac{2}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $9\frac{1}{4} - 5\frac{3}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $10\frac{1}{6} - 4\frac{3}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $10\frac{3}{6} - 7\frac{2}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $7\frac{1}{4} - 4\frac{3}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Subtracting Two Mixed Fractions (B) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 6\frac{5}{6} - 3\frac{2}{6} = \frac{41}{6} - \frac{20}{6} = \frac{21}{6} = \frac{7}{2} = 3\frac{1}{2}$$

$$2. \quad 10\frac{8}{9} - 5\frac{4}{9} = \frac{98}{9} - \frac{49}{9} = \frac{49}{9} = 5\frac{4}{9}$$

$$3. \quad 6\frac{1}{4} - 2\frac{3}{4} = \frac{25}{4} - \frac{11}{4} = \frac{14}{4} = \frac{7}{2} = 3\frac{1}{2}$$

$$4. \quad 9\frac{1}{2} - 7\frac{1}{2} = \frac{19}{2} - \frac{15}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$5. \quad 9\frac{2}{8} - 7\frac{1}{8} = \frac{74}{8} - \frac{57}{8} = \frac{17}{8} = 2\frac{1}{8}$$

$$6. \quad 6\frac{3}{5} - 3\frac{2}{5} = \frac{33}{5} - \frac{17}{5} = \frac{16}{5} = 3\frac{1}{5}$$

$$7. \quad 9\frac{1}{4} - 5\frac{3}{4} = \frac{37}{4} - \frac{23}{4} = \frac{14}{4} = \frac{7}{2} = 3\frac{1}{2}$$

$$8. \quad 10\frac{1}{6} - 4\frac{3}{6} = \frac{61}{6} - \frac{27}{6} = \frac{34}{6} = \frac{17}{3} = 5\frac{2}{3}$$

$$9. \quad 10\frac{3}{6} - 7\frac{2}{6} = \frac{63}{6} - \frac{44}{6} = \frac{19}{6} = 3\frac{1}{6}$$

$$10. \quad 7\frac{1}{4} - 4\frac{3}{4} = \frac{29}{4} - \frac{19}{4} = \frac{10}{4} = \frac{5}{2} = 2\frac{1}{2}$$

## Subtracting Two Mixed Fractions (C)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $7\frac{2}{6} - 3\frac{2}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

2.  $7\frac{1}{2} - 5\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

3.  $9\frac{6}{7} - 2\frac{5}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $9\frac{4}{5} - 6\frac{1}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $10\frac{1}{5} - 4\frac{2}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $9\frac{3}{7} - 8\frac{1}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $7\frac{2}{5} - 1\frac{2}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

8.  $7\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

9.  $5\frac{3}{7} - 2\frac{2}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $9\frac{2}{4} - 4\frac{2}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

## Subtracting Two Mixed Fractions (C) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 7\frac{2}{6} - 3\frac{2}{6} = \frac{44}{6} - \frac{20}{6} = \frac{24}{6} = \frac{4}{1} = 4$$

$$2. \quad 7\frac{1}{2} - 5\frac{1}{2} = \frac{15}{2} - \frac{11}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$3. \quad 9\frac{6}{7} - 2\frac{5}{7} = \frac{69}{7} - \frac{19}{7} = \frac{50}{7} = 7\frac{1}{7}$$

$$4. \quad 9\frac{4}{5} - 6\frac{1}{5} = \frac{49}{5} - \frac{31}{5} = \frac{18}{5} = 3\frac{3}{5}$$

$$5. \quad 10\frac{1}{5} - 4\frac{2}{5} = \frac{51}{5} - \frac{22}{5} = \frac{29}{5} = 5\frac{4}{5}$$

$$6. \quad 9\frac{3}{7} - 8\frac{1}{7} = \frac{66}{7} - \frac{57}{7} = \frac{9}{7} = 1\frac{2}{7}$$

$$7. \quad 7\frac{2}{5} - 1\frac{2}{5} = \frac{37}{5} - \frac{7}{5} = \frac{30}{5} = \frac{6}{1} = 6$$

$$8. \quad 7\frac{1}{2} - 1\frac{1}{2} = \frac{15}{2} - \frac{3}{2} = \frac{12}{2} = \frac{6}{1} = 6$$

$$9. \quad 5\frac{3}{7} - 2\frac{2}{7} = \frac{38}{7} - \frac{16}{7} = \frac{22}{7} = 3\frac{1}{7}$$

$$10. \quad 9\frac{2}{4} - 4\frac{2}{4} = \frac{38}{4} - \frac{18}{4} = \frac{20}{4} = \frac{5}{1} = 5$$

## Subtracting Two Mixed Fractions (D)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $7\frac{1}{3} - 1\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $4\frac{6}{9} - 1\frac{1}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $8\frac{5}{9} - 4\frac{7}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $10\frac{6}{8} - 1\frac{4}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $10\frac{4}{6} - 9\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $10\frac{1}{2} - 7\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $4\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $8\frac{2}{9} - 2\frac{3}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $8\frac{3}{4} - 7\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $5\frac{1}{4} - 3\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Subtracting Two Mixed Fractions (D) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 7\frac{1}{3} - 1\frac{1}{3} = \frac{22}{3} - \frac{4}{3} = \frac{18}{3} = \frac{6}{1} = 6$$

$$2. \quad 4\frac{6}{9} - 1\frac{1}{9} = \frac{42}{9} - \frac{10}{9} = \frac{32}{9} = 3\frac{5}{9}$$

$$3. \quad 8\frac{5}{9} - 4\frac{7}{9} = \frac{77}{9} - \frac{43}{9} = \frac{34}{9} = 3\frac{7}{9}$$

$$4. \quad 10\frac{6}{8} - 1\frac{4}{8} = \frac{86}{8} - \frac{12}{8} = \frac{74}{8} = \frac{37}{4} = 9\frac{1}{4}$$

$$5. \quad 10\frac{4}{6} - 9\frac{1}{6} = \frac{64}{6} - \frac{55}{6} = \frac{9}{6} = \frac{3}{2} = 1\frac{1}{2}$$

$$6. \quad 10\frac{1}{2} - 7\frac{1}{2} = \frac{21}{2} - \frac{15}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$7. \quad 4\frac{1}{2} - 1\frac{1}{2} = \frac{9}{2} - \frac{3}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$8. \quad 8\frac{2}{9} - 2\frac{3}{9} = \frac{74}{9} - \frac{21}{9} = \frac{53}{9} = 5\frac{8}{9}$$

$$9. \quad 8\frac{3}{4} - 7\frac{1}{4} = \frac{35}{4} - \frac{29}{4} = \frac{6}{4} = \frac{3}{2} = 1\frac{1}{2}$$

$$10. \quad 5\frac{1}{4} - 3\frac{1}{4} = \frac{21}{4} - \frac{13}{4} = \frac{8}{4} = \frac{2}{1} = 2$$



## Subtracting Two Mixed Fractions (E)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $4\frac{1}{8} - 1\frac{5}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $6\frac{3}{9} - 2\frac{6}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $8\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $10\frac{2}{3} - 8\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $8\frac{3}{5} - 2\frac{2}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $10\frac{2}{7} - 8\frac{1}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $9\frac{1}{2} - 2\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $8\frac{1}{7} - 2\frac{6}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $10\frac{3}{5} - 7\frac{4}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $9\frac{1}{6} - 3\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Subtracting Two Mixed Fractions (E) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 4\frac{1}{8} - 1\frac{5}{8} = \frac{33}{8} - \frac{13}{8} = \frac{20}{8} = \frac{5}{2} = 2\frac{1}{2}$$

$$2. \quad 6\frac{3}{9} - 2\frac{6}{9} = \frac{57}{9} - \frac{24}{9} = \frac{33}{9} = \frac{11}{3} = 3\frac{2}{3}$$

$$3. \quad 8\frac{1}{2} - 1\frac{1}{2} = \frac{17}{2} - \frac{3}{2} = \frac{14}{2} = \frac{7}{1} = 7$$

$$4. \quad 10\frac{2}{3} - 8\frac{2}{3} = \frac{32}{3} - \frac{26}{3} = \frac{6}{3} = \frac{2}{1} = 2$$

$$5. \quad 8\frac{3}{5} - 2\frac{2}{5} = \frac{43}{5} - \frac{12}{5} = \frac{31}{5} = 6\frac{1}{5}$$

$$6. \quad 10\frac{2}{7} - 8\frac{1}{7} = \frac{72}{7} - \frac{57}{7} = \frac{15}{7} = 2\frac{1}{7}$$

$$7. \quad 9\frac{1}{2} - 2\frac{1}{2} = \frac{19}{2} - \frac{5}{2} = \frac{14}{2} = \frac{7}{1} = 7$$

$$8. \quad 8\frac{1}{7} - 2\frac{6}{7} = \frac{57}{7} - \frac{20}{7} = \frac{37}{7} = 5\frac{2}{7}$$

$$9. \quad 10\frac{3}{5} - 7\frac{4}{5} = \frac{53}{5} - \frac{39}{5} = \frac{14}{5} = 2\frac{4}{5}$$

$$10. \quad 9\frac{1}{6} - 3\frac{1}{6} = \frac{55}{6} - \frac{19}{6} = \frac{36}{6} = \frac{6}{1} = 6$$

## Subtracting Two Mixed Fractions (F)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $5\frac{2}{7} - 3\frac{2}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $4\frac{3}{4} - 1\frac{2}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $8\frac{6}{9} - 1\frac{4}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $5\frac{2}{7} - 1\frac{2}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $7\frac{6}{9} - 6\frac{1}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $8\frac{3}{5} - 1\frac{2}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $6\frac{8}{9} - 4\frac{6}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $6\frac{1}{8} - 4\frac{1}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $10\frac{5}{7} - 6\frac{6}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $9\frac{6}{9} - 4\frac{3}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Subtracting Two Mixed Fractions (F) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 5\frac{2}{7} - 3\frac{2}{7} = \frac{37}{7} - \frac{23}{7} = \frac{14}{7} = \frac{2}{1} = 2$$

$$2. \quad 4\frac{3}{4} - 1\frac{2}{4} = \frac{19}{4} - \frac{6}{4} = \frac{13}{4} = 3\frac{1}{4}$$

$$3. \quad 8\frac{6}{9} - 1\frac{4}{9} = \frac{78}{9} - \frac{13}{9} = \frac{65}{9} = 7\frac{2}{9}$$

$$4. \quad 5\frac{2}{7} - 1\frac{2}{7} = \frac{37}{7} - \frac{9}{7} = \frac{28}{7} = \frac{4}{1} = 4$$

$$5. \quad 7\frac{6}{9} - 6\frac{1}{9} = \frac{69}{9} - \frac{55}{9} = \frac{14}{9} = 1\frac{5}{9}$$

$$6. \quad 8\frac{3}{5} - 1\frac{2}{5} = \frac{43}{5} - \frac{7}{5} = \frac{36}{5} = 7\frac{1}{5}$$

$$7. \quad 6\frac{8}{9} - 4\frac{6}{9} = \frac{62}{9} - \frac{42}{9} = \frac{20}{9} = 2\frac{2}{9}$$

$$8. \quad 6\frac{1}{8} - 4\frac{1}{8} = \frac{49}{8} - \frac{33}{8} = \frac{16}{8} = \frac{2}{1} = 2$$

$$9. \quad 10\frac{5}{7} - 6\frac{6}{7} = \frac{75}{7} - \frac{48}{7} = \frac{27}{7} = 3\frac{6}{7}$$

$$10. \quad 9\frac{6}{9} - 4\frac{3}{9} = \frac{87}{9} - \frac{39}{9} = \frac{48}{9} = \frac{16}{3} = 5\frac{1}{3}$$

## Subtracting Two Mixed Fractions (G)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $9\frac{2}{6} - 4\frac{2}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

2.  $9\frac{1}{4} - 7\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

3.  $10\frac{2}{5} - 7\frac{2}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

4.  $5\frac{2}{8} - 2\frac{7}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $9\frac{3}{5} - 5\frac{1}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $10\frac{3}{7} - 7\frac{2}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $9\frac{4}{9} - 1\frac{5}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $10\frac{4}{6} - 2\frac{5}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $4\frac{1}{3} - 1\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $7\frac{1}{2} - 5\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

## Subtracting Two Mixed Fractions (G) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 9\frac{2}{6} - 4\frac{2}{6} = \frac{56}{6} - \frac{26}{6} = \frac{30}{6} = \frac{5}{1} = 5$$

$$2. \quad 9\frac{1}{4} - 7\frac{1}{4} = \frac{37}{4} - \frac{29}{4} = \frac{8}{4} = \frac{2}{1} = 2$$

$$3. \quad 10\frac{2}{5} - 7\frac{2}{5} = \frac{52}{5} - \frac{37}{5} = \frac{15}{5} = \frac{3}{1} = 3$$

$$4. \quad 5\frac{2}{8} - 2\frac{7}{8} = \frac{42}{8} - \frac{23}{8} = \frac{19}{8} = 2\frac{3}{8}$$

$$5. \quad 9\frac{3}{5} - 5\frac{1}{5} = \frac{48}{5} - \frac{26}{5} = \frac{22}{5} = 4\frac{2}{5}$$

$$6. \quad 10\frac{3}{7} - 7\frac{2}{7} = \frac{73}{7} - \frac{51}{7} = \frac{22}{7} = 3\frac{1}{7}$$

$$7. \quad 9\frac{4}{9} - 1\frac{5}{9} = \frac{85}{9} - \frac{14}{9} = \frac{71}{9} = 7\frac{8}{9}$$

$$8. \quad 10\frac{4}{6} - 2\frac{5}{6} = \frac{64}{6} - \frac{17}{6} = \frac{47}{6} = 7\frac{5}{6}$$

$$9. \quad 4\frac{1}{3} - 1\frac{2}{3} = \frac{13}{3} - \frac{5}{3} = \frac{8}{3} = 2\frac{2}{3}$$

$$10. \quad 7\frac{1}{2} - 5\frac{1}{2} = \frac{15}{2} - \frac{11}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

## Subtracting Two Mixed Fractions (H)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $6\frac{1}{2} - 3\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $8\frac{1}{5} - 2\frac{3}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $9\frac{2}{3} - 1\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $5\frac{5}{6} - 3\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $5\frac{5}{8} - 1\frac{5}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $8\frac{1}{3} - 2\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $10\frac{2}{6} - 2\frac{3}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $4\frac{1}{3} - 1\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $5\frac{5}{6} - 2\frac{4}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $9\frac{5}{8} - 4\frac{6}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Subtracting Two Mixed Fractions (H) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 6\frac{1}{2} - 3\frac{1}{2} = \frac{13}{2} - \frac{7}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$2. \quad 8\frac{1}{5} - 2\frac{3}{5} = \frac{41}{5} - \frac{13}{5} = \frac{28}{5} = 5\frac{3}{5}$$

$$3. \quad 9\frac{2}{3} - 1\frac{1}{3} = \frac{29}{3} - \frac{4}{3} = \frac{25}{3} = 8\frac{1}{3}$$

$$4. \quad 5\frac{5}{6} - 3\frac{1}{6} = \frac{35}{6} - \frac{19}{6} = \frac{16}{6} = \frac{8}{3} = 2\frac{2}{3}$$

$$5. \quad 5\frac{5}{8} - 1\frac{5}{8} = \frac{45}{8} - \frac{13}{8} = \frac{32}{8} = \frac{4}{1} = 4$$

$$6. \quad 8\frac{1}{3} - 2\frac{1}{3} = \frac{25}{3} - \frac{7}{3} = \frac{18}{3} = \frac{6}{1} = 6$$

$$7. \quad 10\frac{2}{6} - 2\frac{3}{6} = \frac{62}{6} - \frac{15}{6} = \frac{47}{6} = 7\frac{5}{6}$$

$$8. \quad 4\frac{1}{3} - 1\frac{2}{3} = \frac{13}{3} - \frac{5}{3} = \frac{8}{3} = 2\frac{2}{3}$$

$$9. \quad 5\frac{5}{6} - 2\frac{4}{6} = \frac{35}{6} - \frac{16}{6} = \frac{19}{6} = 3\frac{1}{6}$$

$$10. \quad 9\frac{5}{8} - 4\frac{6}{8} = \frac{77}{8} - \frac{38}{8} = \frac{39}{8} = 4\frac{7}{8}$$



## Subtracting Two Mixed Fractions (I)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $9\frac{3}{4} - 4\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $10\frac{2}{7} - 2\frac{5}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $4\frac{3}{4} - 2\frac{2}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $7\frac{1}{8} - 1\frac{6}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $8\frac{7}{8} - 4\frac{2}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $8\frac{2}{4} - 5\frac{2}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $7\frac{4}{7} - 2\frac{6}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $10\frac{6}{7} - 5\frac{6}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $10\frac{2}{8} - 1\frac{1}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $6\frac{2}{3} - 2\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Subtracting Two Mixed Fractions (I) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 9\frac{3}{4} - 4\frac{1}{4} = \frac{39}{4} - \frac{17}{4} = \frac{22}{4} = \frac{11}{2} = 5\frac{1}{2}$$

$$2. \quad 10\frac{2}{7} - 2\frac{5}{7} = \frac{72}{7} - \frac{19}{7} = \frac{53}{7} = 7\frac{4}{7}$$

$$3. \quad 4\frac{3}{4} - 2\frac{2}{4} = \frac{19}{4} - \frac{10}{4} = \frac{9}{4} = 2\frac{1}{4}$$

$$4. \quad 7\frac{1}{8} - 1\frac{6}{8} = \frac{57}{8} - \frac{14}{8} = \frac{43}{8} = 5\frac{3}{8}$$

$$5. \quad 8\frac{7}{8} - 4\frac{2}{8} = \frac{71}{8} - \frac{34}{8} = \frac{37}{8} = 4\frac{5}{8}$$

$$6. \quad 8\frac{2}{4} - 5\frac{2}{4} = \frac{34}{4} - \frac{22}{4} = \frac{12}{4} = \frac{3}{1} = 3$$

$$7. \quad 7\frac{4}{7} - 2\frac{6}{7} = \frac{53}{7} - \frac{20}{7} = \frac{33}{7} = 4\frac{5}{7}$$

$$8. \quad 10\frac{6}{7} - 5\frac{6}{7} = \frac{76}{7} - \frac{41}{7} = \frac{35}{7} = \frac{5}{1} = 5$$

$$9. \quad 10\frac{2}{8} - 1\frac{1}{8} = \frac{82}{8} - \frac{9}{8} = \frac{73}{8} = 9\frac{1}{8}$$

$$10. \quad 6\frac{2}{3} - 2\frac{1}{3} = \frac{20}{3} - \frac{7}{3} = \frac{13}{3} = 4\frac{1}{3}$$

## Subtracting Two Mixed Fractions (J)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

1.  $10\frac{1}{2} - 7\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $7\frac{1}{3} - 3\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $8\frac{1}{4} - 3\frac{3}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $9\frac{1}{5} - 6\frac{1}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $6\frac{2}{3} - 1\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $9\frac{1}{2} - 6\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $3\frac{1}{8} - 1\frac{4}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $10\frac{1}{3} - 5\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $7\frac{2}{3} - 3\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $10\frac{1}{2} - 3\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Subtracting Two Mixed Fractions (J) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_

Calculate each difference.

$$1. \quad 10\frac{1}{2} - 7\frac{1}{2} = \frac{21}{2} - \frac{15}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$2. \quad 7\frac{1}{3} - 3\frac{1}{3} = \frac{22}{3} - \frac{10}{3} = \frac{12}{3} = \frac{4}{1} = 4$$

$$3. \quad 8\frac{1}{4} - 3\frac{3}{4} = \frac{33}{4} - \frac{15}{4} = \frac{18}{4} = \frac{9}{2} = 4\frac{1}{2}$$

$$4. \quad 9\frac{1}{5} - 6\frac{1}{5} = \frac{46}{5} - \frac{31}{5} = \frac{15}{5} = \frac{3}{1} = 3$$

$$5. \quad 6\frac{2}{3} - 1\frac{1}{3} = \frac{20}{3} - \frac{4}{3} = \frac{16}{3} = 5\frac{1}{3}$$

$$6. \quad 9\frac{1}{2} - 6\frac{1}{2} = \frac{19}{2} - \frac{13}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$7. \quad 3\frac{1}{8} - 1\frac{4}{8} = \frac{25}{8} - \frac{12}{8} = \frac{13}{8} = 1\frac{5}{8}$$

$$8. \quad 10\frac{1}{3} - 5\frac{2}{3} = \frac{31}{3} - \frac{17}{3} = \frac{14}{3} = 4\frac{2}{3}$$

$$9. \quad 7\frac{2}{3} - 3\frac{1}{3} = \frac{23}{3} - \frac{10}{3} = \frac{13}{3} = 4\frac{1}{3}$$

$$10. \quad 10\frac{1}{2} - 3\frac{1}{2} = \frac{21}{2} - \frac{7}{2} = \frac{14}{2} = \frac{7}{1} = 7$$