Subtracting Two Mixed Fractions (A)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $3\frac{1}{2} - 1\frac{3}{5} = \frac{7}{2} - \frac{8}{5} = \frac{35}{10} - \frac{16}{10} = \frac{19}{10} = 1\frac{9}{10}$

   Convert ↑ Denominator Solve Convert ↓

2. $5\frac{5}{14} - 3\frac{2}{3} =$ ___ − ___ = ___ − ___ = ___ = ___

3. $4\frac{1}{2} - 2\frac{2}{9} =$ ___ − ___ = ___ − ___ = ___ = ___

4. $3\frac{9}{13} - 1\frac{1}{2} =$ ___ − ___ = ___ − ___ = ___ = ___

5. $5\frac{1}{2} - 2\frac{1}{3} =$ ___ − ___ = ___ − ___ = ___ = ___

6. $4\frac{3}{5} - 2\frac{3}{16} =$ ___ − ___ = ___ − ___ = ___ = ___

7. $5\frac{5}{6} - 3\frac{2}{5} =$ ___ − ___ = ___ − ___ = ___ = ___

8. $5\frac{1}{6} - 1\frac{2}{7} =$ ___ − ___ = ___ − ___ = ___ = ___

9. $3\frac{2}{3} - 1\frac{3}{4} =$ ___ − ___ = ___ − ___ = ___ = ___

10. $4\frac{7}{8} - 1\frac{2}{3} =$ ___ − ___ = ___ − ___ = ___ = ___

Subtracting Two Mixed Fractions (A) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $3\frac{1}{2} - 1\frac{3}{5} = \frac{7}{2} - \frac{8}{5} = \frac{35}{10} - \frac{16}{10} = \frac{19}{10} = 1\frac{9}{10}$

2. $5\frac{5}{14} - 3\frac{2}{3} = \frac{75}{14} - \frac{11}{3} = \frac{225}{42} - \frac{154}{42} = \frac{71}{42} = 1\frac{29}{42}$

3. $4\frac{1}{2} - 2\frac{2}{9} = \frac{9}{2} - \frac{20}{9} = \frac{81}{18} - \frac{40}{18} = \frac{41}{18} = 2\frac{5}{18}$

4. $3\frac{9}{13} - 1\frac{1}{2} = \frac{48}{13} - \frac{3}{2} = \frac{96}{26} - \frac{39}{26} = \frac{57}{26} = 2\frac{5}{26}$

5. $5\frac{1}{2} - 2\frac{1}{3} = \frac{11}{2} - \frac{7}{3} = \frac{33}{6} - \frac{14}{6} = \frac{19}{6} = 3\frac{1}{6}$

6. $4\frac{3}{5} - 2\frac{3}{16} = \frac{23}{5} - \frac{35}{16} = \frac{368}{80} - \frac{175}{80} = \frac{193}{80} = 2\frac{33}{80}$

7. $5\frac{5}{6} - 3\frac{2}{5} = \frac{35}{6} - \frac{17}{5} = \frac{175}{30} - \frac{102}{30} = \frac{73}{30} = 2\frac{13}{30}$

8. $5\frac{1}{6} - 1\frac{2}{7} = \frac{31}{6} - \frac{9}{7} = \frac{217}{42} - \frac{54}{42} = \frac{163}{42} = 3\frac{37}{42}$

9. $3\frac{2}{3} - 1\frac{3}{4} = \frac{11}{3} - \frac{7}{4} = \frac{44}{12} - \frac{21}{12} = \frac{23}{12} = 1\frac{11}{12}$

10. $4\frac{7}{8} - 1\frac{2}{3} = \frac{39}{8} - \frac{5}{3} = \frac{117}{24} - \frac{40}{24} = \frac{77}{24} = 3\frac{5}{24}$

Subtracting Two Mixed Fractions (B)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{2}{3} - 4\frac{2}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $5\frac{2}{9} - 1\frac{1}{2} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $5\frac{3}{5} - 2\frac{10}{11} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $5\frac{4}{17} - 1\frac{1}{6} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $3\frac{5}{8} - 1\frac{1}{9} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $5\frac{5}{6} - 1\frac{3}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $2\frac{8}{13} - 1\frac{1}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $3\frac{4}{11} - 1\frac{1}{2} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $5\frac{2}{5} - 1\frac{1}{2} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $5\frac{3}{7} - 1\frac{5}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (B) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{2}{3} - 4\frac{2}{5} = \frac{17}{3} - \frac{22}{5} = \frac{85}{15} - \frac{66}{15} = \frac{19}{15} = 1\frac{4}{15}$

2. $5\frac{2}{9} - 1\frac{1}{2} = \frac{47}{9} - \frac{3}{2} = \frac{94}{18} - \frac{27}{18} = \frac{67}{18} = 3\frac{13}{18}$

3. $5\frac{3}{5} - 2\frac{10}{11} = \frac{28}{5} - \frac{32}{11} = \frac{308}{55} - \frac{160}{55} = \frac{148}{55} = 2\frac{38}{55}$

4. $5\frac{4}{17} - 1\frac{1}{6} = \frac{89}{17} - \frac{7}{6} = \frac{534}{102} - \frac{119}{102} = \frac{415}{102} = 4\frac{7}{102}$

5. $3\frac{5}{8} - 1\frac{1}{9} = \frac{29}{8} - \frac{10}{9} = \frac{261}{72} - \frac{80}{72} = \frac{181}{72} = 2\frac{37}{72}$

6. $5\frac{5}{6} - 1\frac{3}{5} = \frac{35}{6} - \frac{8}{5} = \frac{175}{30} - \frac{48}{30} = \frac{127}{30} = 4\frac{7}{30}$

7. $2\frac{8}{13} - 1\frac{1}{3} = \frac{34}{13} - \frac{4}{3} = \frac{102}{39} - \frac{52}{39} = \frac{50}{39} = 1\frac{11}{39}$

8. $3\frac{4}{11} - 1\frac{1}{2} = \frac{37}{11} - \frac{3}{2} = \frac{74}{22} - \frac{33}{22} = \frac{41}{22} = 1\frac{19}{22}$

9. $5\frac{2}{5} - 1\frac{1}{2} = \frac{27}{5} - \frac{3}{2} = \frac{54}{10} - \frac{15}{10} = \frac{39}{10} = 3\frac{9}{10}$

10. $5\frac{3}{7} - 1\frac{5}{8} = \frac{38}{7} - \frac{13}{8} = \frac{304}{56} - \frac{91}{56} = \frac{213}{56} = 3\frac{45}{56}$

Subtracting Two Mixed Fractions (C)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{6}{7} - 1\frac{4}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $3\frac{3}{4} - 1\frac{6}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $4\frac{4}{7} - 1\frac{9}{11} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $3\frac{14}{19} - 1\frac{1}{6} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $4\frac{9}{10} - 2\frac{4}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $4\frac{2}{9} - 2\frac{4}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $5\frac{6}{7} - 2\frac{5}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $5\frac{15}{16} - 4\frac{1}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $5\frac{2}{3} - 3\frac{1}{2} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $2\frac{8}{13} - 1\frac{1}{6} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (C) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{6}{7} - 1\frac{4}{5} = \frac{41}{7} - \frac{9}{5} = \frac{205}{35} - \frac{63}{35} = \frac{142}{35} = 4\frac{2}{35}$

2. $3\frac{3}{4} - 1\frac{6}{7} = \frac{15}{4} - \frac{13}{7} = \frac{105}{28} - \frac{52}{28} = \frac{53}{28} = 1\frac{25}{28}$

3. $4\frac{4}{7} - 1\frac{9}{11} = \frac{32}{7} - \frac{20}{11} = \frac{352}{77} - \frac{140}{77} = \frac{212}{77} = 2\frac{58}{77}$

4. $3\frac{14}{19} - 1\frac{1}{6} = \frac{71}{19} - \frac{7}{6} = \frac{426}{114} - \frac{133}{114} = \frac{293}{114} = 2\frac{65}{114}$

5. $4\frac{9}{10} - 2\frac{4}{7} = \frac{49}{10} - \frac{18}{7} = \frac{343}{70} - \frac{180}{70} = \frac{163}{70} = 2\frac{23}{70}$

6. $4\frac{2}{9} - 2\frac{4}{7} = \frac{38}{9} - \frac{18}{7} = \frac{266}{63} - \frac{162}{63} = \frac{104}{63} = 1\frac{41}{63}$

7. $5\frac{6}{7} - 2\frac{5}{8} = \frac{41}{7} - \frac{21}{8} = \frac{328}{56} - \frac{147}{56} = \frac{181}{56} = 3\frac{13}{56}$

8. $5\frac{15}{16} - 4\frac{1}{3} = \frac{95}{16} - \frac{13}{3} = \frac{285}{48} - \frac{208}{48} = \frac{77}{48} = 1\frac{29}{48}$

9. $5\frac{2}{3} - 3\frac{1}{2} = \frac{17}{3} - \frac{7}{2} = \frac{34}{6} - \frac{21}{6} = \frac{13}{6} = 2\frac{1}{6}$

10. $2\frac{8}{13} - 1\frac{1}{6} = \frac{34}{13} - \frac{7}{6} = \frac{204}{78} - \frac{91}{78} = \frac{113}{78} = 1\frac{35}{78}$

Subtracting Two Mixed Fractions (D)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $4\frac{1}{2} - 3\frac{1}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $4\frac{6}{7} - 2\frac{2}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $5\frac{2}{7} - 1\frac{7}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $5\frac{4}{5} - 2\frac{5}{16} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $5\frac{3}{5} - 3\frac{5}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $3\frac{5}{13} - 2\frac{3}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $4\frac{2}{3} - 2\frac{1}{2} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $4\frac{3}{7} - 2\frac{5}{19} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $3\frac{1}{3} - 1\frac{2}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $5\frac{1}{3} - 2\frac{1}{2} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (D) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $4\frac{1}{2} - 3\frac{1}{3} = \frac{9}{2} - \frac{10}{3} = \frac{27}{6} - \frac{20}{6} = \frac{7}{6} = 1\frac{1}{6}$

2. $4\frac{6}{7} - 2\frac{2}{3} = \frac{34}{7} - \frac{8}{3} = \frac{102}{21} - \frac{56}{21} = \frac{46}{21} = 2\frac{4}{21}$

3. $5\frac{2}{7} - 1\frac{7}{8} = \frac{37}{7} - \frac{15}{8} = \frac{296}{56} - \frac{105}{56} = \frac{191}{56} = 3\frac{23}{56}$

4. $5\frac{4}{5} - 2\frac{5}{16} = \frac{29}{5} - \frac{37}{16} = \frac{464}{80} - \frac{185}{80} = \frac{279}{80} = 3\frac{39}{80}$

5. $5\frac{3}{5} - 3\frac{5}{7} = \frac{28}{5} - \frac{26}{7} = \frac{196}{35} - \frac{130}{35} = \frac{66}{35} = 1\frac{31}{35}$

6. $3\frac{5}{13} - 2\frac{3}{8} = \frac{44}{13} - \frac{19}{8} = \frac{352}{104} - \frac{247}{104} = \frac{105}{104} = 1\frac{1}{104}$

7. $4\frac{2}{3} - 2\frac{1}{2} = \frac{14}{3} - \frac{5}{2} = \frac{28}{6} - \frac{15}{6} = \frac{13}{6} = 2\frac{1}{6}$

8. $4\frac{3}{7} - 2\frac{5}{19} = \frac{31}{7} - \frac{43}{19} = \frac{589}{133} - \frac{301}{133} = \frac{288}{133} = 2\frac{22}{133}$

9. $3\frac{1}{3} - 1\frac{2}{5} = \frac{10}{3} - \frac{7}{5} = \frac{50}{15} - \frac{21}{15} = \frac{29}{15} = 1\frac{14}{15}$

10. $5\frac{1}{3} - 2\frac{1}{2} = \frac{16}{3} - \frac{5}{2} = \frac{32}{6} - \frac{15}{6} = \frac{17}{6} = 2\frac{5}{6}$

Subtracting Two Mixed Fractions (E)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{4}{5} - 2\frac{1}{17} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $5\frac{7}{17} - 3\frac{4}{9} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $5\frac{1}{2} - 1\frac{16}{17} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $2\frac{4}{5} - 1\frac{1}{6} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $5\frac{1}{3} - 3\frac{3}{11} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $3\frac{7}{8} - 2\frac{7}{11} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $3\frac{4}{7} - 2\frac{1}{2} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $5\frac{1}{6} - 3\frac{1}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $2\frac{4}{7} - 1\frac{5}{11} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $3\frac{1}{6} - 1\frac{1}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (E) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{4}{5} - 2\frac{1}{17} = \frac{29}{5} - \frac{35}{17} = \frac{493}{85} - \frac{175}{85} = \frac{318}{85} = 3\frac{63}{85}$

2. $5\frac{7}{17} - 3\frac{4}{9} = \frac{92}{17} - \frac{31}{9} = \frac{828}{153} - \frac{527}{153} = \frac{301}{153} = 1\frac{148}{153}$

3. $5\frac{1}{2} - 1\frac{16}{17} = \frac{11}{2} - \frac{33}{17} = \frac{187}{34} - \frac{66}{34} = \frac{121}{34} = 3\frac{19}{34}$

4. $2\frac{4}{5} - 1\frac{1}{6} = \frac{14}{5} - \frac{7}{6} = \frac{84}{30} - \frac{35}{30} = \frac{49}{30} = 1\frac{19}{30}$

5. $5\frac{1}{3} - 3\frac{3}{11} = \frac{16}{3} - \frac{36}{11} = \frac{176}{33} - \frac{108}{33} = \frac{68}{33} = 2\frac{2}{33}$

6. $3\frac{7}{8} - 2\frac{7}{11} = \frac{31}{8} - \frac{29}{11} = \frac{341}{88} - \frac{232}{88} = \frac{109}{88} = 1\frac{21}{88}$

7. $3\frac{4}{7} - 2\frac{1}{2} = \frac{25}{7} - \frac{5}{2} = \frac{50}{14} - \frac{35}{14} = \frac{15}{14} = 1\frac{1}{14}$

8. $5\frac{1}{6} - 3\frac{1}{5} = \frac{31}{6} - \frac{16}{5} = \frac{155}{30} - \frac{96}{30} = \frac{59}{30} = 1\frac{29}{30}$

9. $2\frac{4}{7} - 1\frac{5}{11} = \frac{18}{7} - \frac{16}{11} = \frac{198}{77} - \frac{112}{77} = \frac{86}{77} = 1\frac{9}{77}$

10. $3\frac{1}{6} - 1\frac{1}{5} = \frac{19}{6} - \frac{6}{5} = \frac{95}{30} - \frac{36}{30} = \frac{59}{30} = 1\frac{29}{30}$

Subtracting Two Mixed Fractions (F)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $3\frac{2}{3} - 1\frac{1}{17} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $4\frac{1}{2} - 1\frac{2}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $3\frac{3}{4} - 2\frac{1}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $5\frac{5}{18} - 2\frac{6}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $4\frac{1}{2} - 1\frac{4}{11} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $5\frac{4}{5} - 4\frac{1}{14} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $4\frac{1}{16} - 2\frac{1}{9} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $5\frac{5}{8} - 2\frac{6}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $4\frac{1}{6} - 1\frac{4}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $4\frac{1}{2} - 1\frac{1}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (F) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $3\frac{2}{3} - 1\frac{1}{17} = \frac{11}{3} - \frac{18}{17} = \frac{187}{51} - \frac{54}{51} = \frac{133}{51} = 2\frac{31}{51}$

2. $4\frac{1}{2} - 1\frac{2}{3} = \frac{9}{2} - \frac{5}{3} = \frac{27}{6} - \frac{10}{6} = \frac{17}{6} = 2\frac{5}{6}$

3. $3\frac{3}{4} - 2\frac{1}{7} = \frac{15}{4} - \frac{15}{7} = \frac{105}{28} - \frac{60}{28} = \frac{45}{28} = 1\frac{17}{28}$

4. $5\frac{5}{18} - 2\frac{6}{7} = \frac{95}{18} - \frac{20}{7} = \frac{665}{126} - \frac{360}{126} = \frac{305}{126} = 2\frac{53}{126}$

5. $4\frac{1}{2} - 1\frac{4}{11} = \frac{9}{2} - \frac{15}{11} = \frac{99}{22} - \frac{30}{22} = \frac{69}{22} = 3\frac{3}{22}$

6. $5\frac{4}{5} - 4\frac{1}{14} = \frac{29}{5} - \frac{57}{14} = \frac{406}{70} - \frac{285}{70} = \frac{121}{70} = 1\frac{51}{70}$

7. $4\frac{1}{16} - 2\frac{1}{9} = \frac{65}{16} - \frac{19}{9} = \frac{585}{144} - \frac{304}{144} = \frac{281}{144} = 1\frac{137}{144}$

8. $5\frac{5}{8} - 2\frac{6}{7} = \frac{45}{8} - \frac{20}{7} = \frac{315}{56} - \frac{160}{56} = \frac{155}{56} = 2\frac{43}{56}$

9. $4\frac{1}{6} - 1\frac{4}{5} = \frac{25}{6} - \frac{9}{5} = \frac{125}{30} - \frac{54}{30} = \frac{71}{30} = 2\frac{11}{30}$

10. $4\frac{1}{2} - 1\frac{1}{7} = \frac{9}{2} - \frac{8}{7} = \frac{63}{14} - \frac{16}{14} = \frac{47}{14} = 3\frac{5}{14}$

Subtracting Two Mixed Fractions (G)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $4\frac{3}{4} - 3\frac{1}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $3\frac{7}{8} - 2\frac{1}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $5\frac{3}{13} - 2\frac{8}{9} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $4\frac{16}{19} - 2\frac{5}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $3\frac{4}{5} - 1\frac{1}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $4\frac{16}{17} - 1\frac{2}{9} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $2\frac{6}{11} - 1\frac{1}{6} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $4\frac{11}{13} - 2\frac{1}{2} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $4\frac{2}{19} - 2\frac{3}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $5\frac{1}{13} - 2\frac{3}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (G) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $4\frac{3}{4} - 3\frac{1}{3} = \frac{19}{4} - \frac{10}{3} = \frac{57}{12} - \frac{40}{12} = \frac{17}{12} = 1\frac{5}{12}$

2. $3\frac{7}{8} - 2\frac{1}{3} = \frac{31}{8} - \frac{7}{3} = \frac{93}{24} - \frac{56}{24} = \frac{37}{24} = 1\frac{13}{24}$

3. $5\frac{3}{13} - 2\frac{8}{9} = \frac{68}{13} - \frac{26}{9} = \frac{612}{117} - \frac{338}{117} = \frac{274}{117} = 2\frac{40}{117}$

4. $4\frac{16}{19} - 2\frac{5}{7} = \frac{92}{19} - \frac{19}{7} = \frac{644}{133} - \frac{361}{133} = \frac{283}{133} = 2\frac{17}{133}$

5. $3\frac{4}{5} - 1\frac{1}{3} = \frac{19}{5} - \frac{4}{3} = \frac{57}{15} - \frac{20}{15} = \frac{37}{15} = 2\frac{7}{15}$

6. $4\frac{16}{17} - 1\frac{2}{9} = \frac{84}{17} - \frac{11}{9} = \frac{756}{153} - \frac{187}{153} = \frac{569}{153} = 3\frac{110}{153}$

7. $2\frac{6}{11} - 1\frac{1}{6} = \frac{28}{11} - \frac{7}{6} = \frac{168}{66} - \frac{77}{66} = \frac{91}{66} = 1\frac{25}{66}$

8. $4\frac{11}{13} - 2\frac{1}{2} = \frac{63}{13} - \frac{5}{2} = \frac{126}{26} - \frac{65}{26} = \frac{61}{26} = 2\frac{9}{26}$

9. $4\frac{2}{19} - 2\frac{3}{8} = \frac{78}{19} - \frac{19}{8} = \frac{624}{152} - \frac{361}{152} = \frac{263}{152} = 1\frac{111}{152}$

10. $5\frac{1}{13} - 2\frac{3}{8} = \frac{66}{13} - \frac{19}{8} = \frac{528}{104} - \frac{247}{104} = \frac{281}{104} = 2\frac{73}{104}$

Subtracting Two Mixed Fractions (H)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{1}{5} - 3\frac{2}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $4\frac{1}{2} - 2\frac{1}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $3\frac{5}{6} - 1\frac{2}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $2\frac{18}{19} - 1\frac{3}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $5\frac{1}{7} - 1\frac{3}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $4\frac{1}{2} - 1\frac{4}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $5\frac{1}{3} - 4\frac{1}{19} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $4\frac{7}{8} - 2\frac{9}{17} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $2\frac{3}{8} - 1\frac{1}{11} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $4\frac{6}{7} - 3\frac{4}{9} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (H) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{1}{5} - 3\frac{2}{3} = \frac{26}{5} - \frac{11}{3} = \frac{78}{15} - \frac{55}{15} = \frac{23}{15} = 1\frac{8}{15}$

2. $4\frac{1}{2} - 2\frac{1}{3} = \frac{9}{2} - \frac{7}{3} = \frac{27}{6} - \frac{14}{6} = \frac{13}{6} = 2\frac{1}{6}$

3. $3\frac{5}{6} - 1\frac{2}{5} = \frac{23}{6} - \frac{7}{5} = \frac{115}{30} - \frac{42}{30} = \frac{73}{30} = 2\frac{13}{30}$

4. $2\frac{18}{19} - 1\frac{3}{8} = \frac{56}{19} - \frac{11}{8} = \frac{448}{152} - \frac{209}{152} = \frac{239}{152} = 1\frac{87}{152}$

5. $5\frac{1}{7} - 1\frac{3}{5} = \frac{36}{7} - \frac{8}{5} = \frac{180}{35} - \frac{56}{35} = \frac{124}{35} = 3\frac{19}{35}$

6. $4\frac{1}{2} - 1\frac{4}{5} = \frac{9}{2} - \frac{9}{5} = \frac{45}{10} - \frac{18}{10} = \frac{27}{10} = 2\frac{7}{10}$

7. $5\frac{1}{3} - 4\frac{1}{19} = \frac{16}{3} - \frac{77}{19} = \frac{304}{57} - \frac{231}{57} = \frac{73}{57} = 1\frac{16}{57}$

8. $4\frac{7}{8} - 2\frac{9}{17} = \frac{39}{8} - \frac{43}{17} = \frac{663}{136} - \frac{344}{136} = \frac{319}{136} = 2\frac{47}{136}$

9. $2\frac{3}{8} - 1\frac{1}{11} = \frac{19}{8} - \frac{12}{11} = \frac{209}{88} - \frac{96}{88} = \frac{113}{88} = 1\frac{25}{88}$

10. $4\frac{6}{7} - 3\frac{4}{9} = \frac{34}{7} - \frac{31}{9} = \frac{306}{63} - \frac{217}{63} = \frac{89}{63} = 1\frac{26}{63}$

Subtracting Two Mixed Fractions (I)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{12}{13} - 1\frac{1}{4} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $5\frac{5}{6} - 2\frac{4}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $5\frac{1}{2} - 2\frac{5}{11} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $5\frac{3}{4} - 2\frac{3}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $5\frac{4}{5} - 4\frac{1}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $4\frac{2}{7} - 2\frac{13}{18} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $3\frac{18}{19} - 2\frac{2}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $4\frac{3}{8} - 1\frac{2}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $4\frac{12}{13} - 2\frac{5}{6} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $4\frac{10}{13} - 2\frac{5}{6} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (I) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{12}{13} - 1\frac{1}{4} = \frac{77}{13} - \frac{5}{4} = \frac{308}{52} - \frac{65}{52} = \frac{243}{52} = 4\frac{35}{52}$

2. $5\frac{5}{6} - 2\frac{4}{5} = \frac{35}{6} - \frac{14}{5} = \frac{175}{30} - \frac{84}{30} = \frac{91}{30} = 3\frac{1}{30}$

3. $5\frac{1}{2} - 2\frac{5}{11} = \frac{11}{2} - \frac{27}{11} = \frac{121}{22} - \frac{54}{22} = \frac{67}{22} = 3\frac{1}{22}$

4. $5\frac{3}{4} - 2\frac{3}{5} = \frac{23}{4} - \frac{13}{5} = \frac{115}{20} - \frac{52}{20} = \frac{63}{20} = 3\frac{3}{20}$

5. $5\frac{4}{5} - 4\frac{1}{8} = \frac{29}{5} - \frac{33}{8} = \frac{232}{40} - \frac{165}{40} = \frac{67}{40} = 1\frac{27}{40}$

6. $4\frac{2}{7} - 2\frac{13}{18} = \frac{30}{7} - \frac{49}{18} = \frac{540}{126} - \frac{343}{126} = \frac{197}{126} = 1\frac{71}{126}$

7. $3\frac{18}{19} - 2\frac{2}{3} = \frac{75}{19} - \frac{8}{3} = \frac{225}{57} - \frac{152}{57} = \frac{73}{57} = 1\frac{16}{57}$

8. $4\frac{3}{8} - 1\frac{2}{3} = \frac{35}{8} - \frac{5}{3} = \frac{105}{24} - \frac{40}{24} = \frac{65}{24} = 2\frac{17}{24}$

9. $4\frac{12}{13} - 2\frac{5}{6} = \frac{64}{13} - \frac{17}{6} = \frac{384}{78} - \frac{221}{78} = \frac{163}{78} = 2\frac{7}{78}$

10. $4\frac{10}{13} - 2\frac{5}{6} = \frac{62}{13} - \frac{17}{6} = \frac{372}{78} - \frac{221}{78} = \frac{151}{78} = 1\frac{73}{78}$

Subtracting Two Mixed Fractions (J)

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{2}{3} - 2\frac{2}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

2. $3\frac{5}{6} - 2\frac{1}{5} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

3. $5\frac{3}{7} - 2\frac{5}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

4. $3\frac{8}{9} - 2\frac{6}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

5. $5\frac{2}{3} - 2\frac{11}{17} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

6. $5\frac{7}{17} - 2\frac{1}{3} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

7. $3\frac{2}{7} - 1\frac{3}{4} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

8. $4\frac{13}{17} - 1\frac{5}{8} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

9. $4\frac{7}{9} - 1\frac{5}{7} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

10. $3\frac{11}{19} - 2\frac{1}{9} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} - \frac{\quad}{\quad} = \frac{\quad}{\quad} = \frac{\quad}{\quad}$

Subtracting Two Mixed Fractions (J) Answers

Name: _____ Date: _____ Score: _____

Calculate each difference.

1. $5\frac{2}{3} - 2\frac{2}{5} = \frac{17}{3} - \frac{12}{5} = \frac{85}{15} - \frac{36}{15} = \frac{49}{15} = 3\frac{4}{15}$

2. $3\frac{5}{6} - 2\frac{1}{5} = \frac{23}{6} - \frac{11}{5} = \frac{115}{30} - \frac{66}{30} = \frac{49}{30} = 1\frac{19}{30}$

3. $5\frac{3}{7} - 2\frac{5}{8} = \frac{38}{7} - \frac{21}{8} = \frac{304}{56} - \frac{147}{56} = \frac{157}{56} = 2\frac{45}{56}$

4. $3\frac{8}{9} - 2\frac{6}{7} = \frac{35}{9} - \frac{20}{7} = \frac{245}{63} - \frac{180}{63} = \frac{65}{63} = 1\frac{2}{63}$

5. $5\frac{2}{3} - 2\frac{11}{17} = \frac{17}{3} - \frac{45}{17} = \frac{289}{51} - \frac{135}{51} = \frac{154}{51} = 3\frac{1}{51}$

6. $5\frac{7}{17} - 2\frac{1}{3} = \frac{92}{17} - \frac{7}{3} = \frac{276}{51} - \frac{119}{51} = \frac{157}{51} = 3\frac{4}{51}$

7. $3\frac{2}{7} - 1\frac{3}{4} = \frac{23}{7} - \frac{7}{4} = \frac{92}{28} - \frac{49}{28} = \frac{43}{28} = 1\frac{15}{28}$

8. $4\frac{13}{17} - 1\frac{5}{8} = \frac{81}{17} - \frac{13}{8} = \frac{648}{136} - \frac{221}{136} = \frac{427}{136} = 3\frac{19}{136}$

9. $4\frac{7}{9} - 1\frac{5}{7} = \frac{43}{9} - \frac{12}{7} = \frac{301}{63} - \frac{108}{63} = \frac{193}{63} = 3\frac{4}{63}$

10. $3\frac{11}{19} - 2\frac{1}{9} = \frac{68}{19} - \frac{19}{9} = \frac{612}{171} - \frac{361}{171} = \frac{251}{171} = 1\frac{80}{171}$