

Adding Negative Mixed Fractions (A)

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \left(-2\frac{1}{10}\right) + \left(-5\frac{2}{11}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Convert ↑ Denominator Solve Convert ↓

$$2. \left(-2\frac{7}{9}\right) + 2\frac{1}{8} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$3. \left(-1\frac{1}{2}\right) + 1\frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$4. \left(-3\frac{5}{6}\right) + 5\frac{1}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \left(-5\frac{1}{8}\right) + \left(-1\frac{6}{7}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \left(-2\frac{3}{8}\right) + \frac{3}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \left(-1\frac{1}{2}\right) + \left(-5\frac{8}{9}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \left(-1\frac{2}{11}\right) + \left(-4\frac{11}{12}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \left(-3\frac{8}{11}\right) + \left(-4\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$10. \left(-5\frac{6}{11}\right) + 4\frac{6}{7} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

Adding Negative Mixed Fractions (A) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \left(-2\frac{1}{10}\right) + \left(-5\frac{2}{11}\right) = \left(-\frac{21}{10}\right) + \left(-\frac{57}{11}\right) = \left(-\frac{231}{110}\right) + \left(-\frac{570}{110}\right) = \left(-\frac{801}{110}\right) = \left(-7\frac{31}{110}\right)$$

$$2. \left(-2\frac{7}{9}\right) + 2\frac{1}{8} = \left(-\frac{25}{9}\right) + \frac{17}{8} = \left(-\frac{200}{72}\right) + \frac{153}{72} = \left(-\frac{47}{72}\right)$$

$$3. \left(-1\frac{1}{2}\right) + 1\frac{2}{5} = \left(-\frac{3}{2}\right) + \frac{7}{5} = \left(-\frac{15}{10}\right) + \frac{14}{10} = \left(-\frac{1}{10}\right)$$

$$4. \left(-3\frac{5}{6}\right) + 5\frac{1}{5} = \left(-\frac{23}{6}\right) + \frac{26}{5} = \left(-\frac{115}{30}\right) + \frac{156}{30} = \frac{41}{30} = 1\frac{11}{30}$$

$$5. \left(-5\frac{1}{8}\right) + \left(-1\frac{6}{7}\right) = \left(-\frac{41}{8}\right) + \left(-\frac{13}{7}\right) = \left(-\frac{287}{56}\right) + \left(-\frac{104}{56}\right) = \left(-\frac{391}{56}\right) = \left(-6\frac{55}{56}\right)$$

$$6. \left(-2\frac{3}{8}\right) + \frac{3}{5} = \left(-\frac{19}{8}\right) + \frac{3}{5} = \left(-\frac{95}{40}\right) + \frac{24}{40} = \left(-\frac{71}{40}\right) = \left(-1\frac{31}{40}\right)$$

$$7. \left(-1\frac{1}{2}\right) + \left(-5\frac{8}{9}\right) = \left(-\frac{3}{2}\right) + \left(-\frac{53}{9}\right) = \left(-\frac{27}{18}\right) + \left(-\frac{106}{18}\right) = \left(-\frac{133}{18}\right) = \left(-7\frac{7}{18}\right)$$

$$8. \left(-1\frac{2}{11}\right) + \left(-4\frac{11}{12}\right) = \left(-\frac{13}{11}\right) + \left(-\frac{59}{12}\right) = \left(-\frac{156}{132}\right) + \left(-\frac{649}{132}\right) = \left(-\frac{805}{132}\right) = \left(-6\frac{13}{132}\right)$$

$$9. \left(-3\frac{8}{11}\right) + \left(-4\frac{2}{3}\right) = \left(-\frac{41}{11}\right) + \left(-\frac{14}{3}\right) = \left(-\frac{123}{33}\right) + \left(-\frac{154}{33}\right) = \left(-\frac{277}{33}\right) = \left(-8\frac{13}{33}\right)$$

$$10. \left(-5\frac{6}{11}\right) + 4\frac{6}{7} = \left(-\frac{61}{11}\right) + \frac{34}{7} = \left(-\frac{427}{77}\right) + \frac{374}{77} = \left(-\frac{53}{77}\right)$$

Adding Negative Mixed Fractions (B)

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-3\frac{4}{5}\right) + 1\frac{3}{4} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$2. \quad \left(-1\frac{1}{2}\right) + \left(-1\frac{2}{5}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$3. \quad \left(-5\frac{5}{12}\right) + 3\frac{2}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$4. \quad \left(-2\frac{4}{7}\right) + \frac{2}{11} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$5. \quad \left(-2\frac{5}{11}\right) + 5\frac{5}{12} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$6. \quad \left(-1\frac{1}{8}\right) + \left(-4\frac{3}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$7. \quad \left(-1\frac{3}{5}\right) + 5\frac{1}{9} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$8. \quad \left(-3\frac{1}{4}\right) + 2\frac{2}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$9. \quad \left(-1\frac{1}{4}\right) + 1\frac{2}{3} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$10. \quad \left(-2\frac{2}{7}\right) + \left(-5\frac{5}{6}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

Adding Negative Mixed Fractions (B) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-3\frac{4}{5}\right) + 1\frac{3}{4} = \left(-\frac{19}{5}\right) + \frac{7}{4} = \left(-\frac{76}{20}\right) + \frac{35}{20} = \left(-\frac{41}{20}\right) = \left(-2\frac{1}{20}\right)$$

$$2. \quad \left(-1\frac{1}{2}\right) + \left(-1\frac{2}{5}\right) = \left(-\frac{3}{2}\right) + \left(-\frac{7}{5}\right) = \left(-\frac{15}{10}\right) + \left(-\frac{14}{10}\right) = \left(-\frac{29}{10}\right) = \left(-2\frac{9}{10}\right)$$

$$3. \quad \left(-5\frac{5}{12}\right) + 3\frac{2}{5} = \left(-\frac{65}{12}\right) + \frac{17}{5} = \left(-\frac{325}{60}\right) + \frac{204}{60} = \left(-\frac{121}{60}\right) = \left(-2\frac{1}{60}\right)$$

$$4. \quad \left(-2\frac{4}{7}\right) + \frac{2}{11} = \left(-\frac{18}{7}\right) + \frac{2}{11} = \left(-\frac{198}{77}\right) + \frac{14}{77} = \left(-\frac{184}{77}\right) = \left(-2\frac{30}{77}\right)$$

$$5. \quad \left(-2\frac{5}{11}\right) + 5\frac{5}{12} = \left(-\frac{27}{11}\right) + \frac{65}{12} = \left(-\frac{324}{132}\right) + \frac{715}{132} = \frac{391}{132} = 2\frac{127}{132}$$

$$6. \quad \left(-1\frac{1}{8}\right) + \left(-4\frac{3}{11}\right) = \left(-\frac{9}{8}\right) + \left(-\frac{47}{11}\right) = \left(-\frac{99}{88}\right) + \left(-\frac{376}{88}\right) = \left(-\frac{475}{88}\right) = \left(-5\frac{35}{88}\right)$$

$$7. \quad \left(-1\frac{3}{5}\right) + 5\frac{1}{9} = \left(-\frac{8}{5}\right) + \frac{46}{9} = \left(-\frac{72}{45}\right) + \frac{230}{45} = \frac{158}{45} = 3\frac{23}{45}$$

$$8. \quad \left(-3\frac{1}{4}\right) + 2\frac{2}{5} = \left(-\frac{13}{4}\right) + \frac{12}{5} = \left(-\frac{65}{20}\right) + \frac{48}{20} = \left(-\frac{17}{20}\right)$$

$$9. \quad \left(-1\frac{1}{4}\right) + 1\frac{2}{3} = \left(-\frac{5}{4}\right) + \frac{5}{3} = \left(-\frac{15}{12}\right) + \frac{20}{12} = \frac{5}{12}$$

$$10. \quad \left(-2\frac{2}{7}\right) + \left(-5\frac{5}{6}\right) = \left(-\frac{16}{7}\right) + \left(-\frac{35}{6}\right) = \left(-\frac{96}{42}\right) + \left(-\frac{245}{42}\right) = \left(-\frac{341}{42}\right) = \left(-8\frac{5}{42}\right)$$

Adding Negative Mixed Fractions (C)

Name: _____

Date: _____

Score: _____

Calculate each sum.

1. $\left(-3\frac{1}{2}\right) + \left(-1\frac{8}{9}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

2. $\left(-1\frac{1}{3}\right) + 2\frac{3}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

3. $\left(-1\frac{1}{2}\right) + \left(-1\frac{1}{3}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

4. $\left(-2\frac{1}{2}\right) + \left(-1\frac{2}{3}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

5. $\left(-3\frac{1}{2}\right) + 3\frac{2}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$

6. $\left(-3\frac{1}{9}\right) + 5\frac{1}{7} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

7. $\left(-2\frac{1}{5}\right) + \frac{8}{9} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

8. $\left(-3\frac{2}{9}\right) + \left(-4\frac{1}{5}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

9. $\left(-3\frac{1}{2}\right) + \frac{4}{9} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

10. $\left(-5\frac{3}{8}\right) + 1\frac{1}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

Adding Negative Mixed Fractions (C) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \left(-3\frac{1}{2}\right) + \left(-1\frac{8}{9}\right) = \left(-\frac{7}{2}\right) + \left(-\frac{17}{9}\right) = \left(-\frac{63}{18}\right) + \left(-\frac{34}{18}\right) = \left(-\frac{97}{18}\right) = \left(-5\frac{7}{18}\right)$$

$$2. \left(-1\frac{1}{3}\right) + 2\frac{3}{5} = \left(-\frac{4}{3}\right) + \frac{13}{5} = \left(-\frac{20}{15}\right) + \frac{39}{15} = \frac{19}{15} = 1\frac{4}{15}$$

$$3. \left(-1\frac{1}{2}\right) + \left(-1\frac{1}{3}\right) = \left(-\frac{3}{2}\right) + \left(-\frac{4}{3}\right) = \left(-\frac{9}{6}\right) + \left(-\frac{8}{6}\right) = \left(-\frac{17}{6}\right) = \left(-2\frac{5}{6}\right)$$

$$4. \left(-2\frac{1}{2}\right) + \left(-1\frac{2}{3}\right) = \left(-\frac{5}{2}\right) + \left(-\frac{5}{3}\right) = \left(-\frac{15}{6}\right) + \left(-\frac{10}{6}\right) = \left(-\frac{25}{6}\right) = \left(-4\frac{1}{6}\right)$$

$$5. \left(-3\frac{1}{2}\right) + 3\frac{2}{5} = \left(-\frac{7}{2}\right) + \frac{17}{5} = \left(-\frac{35}{10}\right) + \frac{34}{10} = \left(-\frac{1}{10}\right)$$

$$6. \left(-3\frac{1}{9}\right) + 5\frac{1}{7} = \left(-\frac{28}{9}\right) + \frac{36}{7} = \left(-\frac{196}{63}\right) + \frac{324}{63} = \frac{128}{63} = 2\frac{2}{63}$$

$$7. \left(-2\frac{1}{5}\right) + \frac{8}{9} = \left(-\frac{11}{5}\right) + \frac{8}{9} = \left(-\frac{99}{45}\right) + \frac{40}{45} = \left(-\frac{59}{45}\right) = \left(-1\frac{14}{45}\right)$$

$$8. \left(-3\frac{2}{9}\right) + \left(-4\frac{1}{5}\right) = \left(-\frac{29}{9}\right) + \left(-\frac{21}{5}\right) = \left(-\frac{145}{45}\right) + \left(-\frac{189}{45}\right) = \left(-\frac{334}{45}\right) = \left(-7\frac{19}{45}\right)$$

$$9. \left(-3\frac{1}{2}\right) + \frac{4}{9} = \left(-\frac{7}{2}\right) + \frac{4}{9} = \left(-\frac{63}{18}\right) + \frac{8}{18} = \left(-\frac{55}{18}\right) = \left(-3\frac{1}{18}\right)$$

$$10. \left(-5\frac{3}{8}\right) + 1\frac{1}{5} = \left(-\frac{43}{8}\right) + \frac{6}{5} = \left(-\frac{215}{40}\right) + \frac{48}{40} = \left(-\frac{167}{40}\right) = \left(-4\frac{7}{40}\right)$$

Adding Negative Mixed Fractions (D)

Name: _____

Date: _____

Score: _____

Calculate each sum.

1. $\left(-1\frac{5}{7}\right) + \left(-1\frac{1}{2}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

2. $\left(-1\frac{5}{12}\right) + 1\frac{2}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$

3. $\left(-3\frac{6}{7}\right) + \frac{1}{2} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

4. $\left(-4\frac{1}{4}\right) + \frac{4}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

5. $\left(-3\frac{3}{4}\right) + \left(-2\frac{4}{5}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

6. $\left(-1\frac{4}{5}\right) + \left(-2\frac{2}{3}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

7. $\left(-2\frac{7}{11}\right) + 1\frac{1}{2} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

8. $\left(-3\frac{5}{9}\right) + \left(-1\frac{3}{7}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

9. $\left(-3\frac{1}{9}\right) + \left(-4\frac{1}{4}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

10. $\left(-2\frac{4}{5}\right) + 1\frac{1}{8} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

Adding Negative Mixed Fractions (D) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \left(-1\frac{5}{7}\right) + \left(-1\frac{1}{2}\right) = \left(-\frac{12}{7}\right) + \left(-\frac{3}{2}\right) = \left(-\frac{24}{14}\right) + \left(-\frac{21}{14}\right) = \left(-\frac{45}{14}\right) = \left(-3\frac{3}{14}\right)$$

$$2. \left(-1\frac{5}{12}\right) + 1\frac{2}{5} = \left(-\frac{17}{12}\right) + \frac{7}{5} = \left(-\frac{85}{60}\right) + \frac{84}{60} = \left(-\frac{1}{60}\right)$$

$$3. \left(-3\frac{6}{7}\right) + \frac{1}{2} = \left(-\frac{27}{7}\right) + \frac{1}{2} = \left(-\frac{54}{14}\right) + \frac{7}{14} = \left(-\frac{47}{14}\right) = \left(-3\frac{5}{14}\right)$$

$$4. \left(-4\frac{1}{4}\right) + \frac{4}{5} = \left(-\frac{17}{4}\right) + \frac{4}{5} = \left(-\frac{85}{20}\right) + \frac{16}{20} = \left(-\frac{69}{20}\right) = \left(-3\frac{9}{20}\right)$$

$$5. \left(-3\frac{3}{4}\right) + \left(-2\frac{4}{5}\right) = \left(-\frac{15}{4}\right) + \left(-\frac{14}{5}\right) = \left(-\frac{75}{20}\right) + \left(-\frac{56}{20}\right) = \left(-\frac{131}{20}\right) = \left(-6\frac{11}{20}\right)$$

$$6. \left(-1\frac{4}{5}\right) + \left(-2\frac{2}{3}\right) = \left(-\frac{9}{5}\right) + \left(-\frac{8}{3}\right) = \left(-\frac{27}{15}\right) + \left(-\frac{40}{15}\right) = \left(-\frac{67}{15}\right) = \left(-4\frac{7}{15}\right)$$

$$7. \left(-2\frac{7}{11}\right) + 1\frac{1}{2} = \left(-\frac{29}{11}\right) + \frac{3}{2} = \left(-\frac{58}{22}\right) + \frac{33}{22} = \left(-\frac{25}{22}\right) = \left(-1\frac{3}{22}\right)$$

$$8. \left(-3\frac{5}{9}\right) + \left(-1\frac{3}{7}\right) = \left(-\frac{32}{9}\right) + \left(-\frac{10}{7}\right) = \left(-\frac{224}{63}\right) + \left(-\frac{90}{63}\right) = \left(-\frac{314}{63}\right) = \left(-4\frac{62}{63}\right)$$

$$9. \left(-3\frac{1}{9}\right) + \left(-4\frac{1}{4}\right) = \left(-\frac{28}{9}\right) + \left(-\frac{17}{4}\right) = \left(-\frac{112}{36}\right) + \left(-\frac{153}{36}\right) = \left(-\frac{265}{36}\right) = \left(-7\frac{13}{36}\right)$$

$$10. \left(-2\frac{4}{5}\right) + 1\frac{1}{8} = \left(-\frac{14}{5}\right) + \frac{9}{8} = \left(-\frac{112}{40}\right) + \frac{45}{40} = \left(-\frac{67}{40}\right) = \left(-1\frac{27}{40}\right)$$

Adding Negative Mixed Fractions (E)

Name: _____

Date: _____

Score: _____

Calculate each sum.

1. $\left(-1\frac{2}{3}\right) + 4\frac{3}{8} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

2. $\left(-2\frac{1}{4}\right) + \left(-3\frac{2}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

3. $\left(-5\frac{1}{12}\right) + 5\frac{3}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$

4. $\left(-5\frac{6}{7}\right) + 2\frac{1}{3} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

5. $\left(-1\frac{1}{8}\right) + \left(-1\frac{3}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

6. $\left(-2\frac{5}{7}\right) + 1\frac{2}{3} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

7. $\left(-1\frac{1}{2}\right) + 1\frac{5}{11} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$

8. $\left(-5\frac{1}{2}\right) + 5\frac{9}{11} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$

9. $\left(-4\frac{1}{2}\right) + \left(-1\frac{1}{3}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$

10. $\left(-4\frac{1}{6}\right) + 4\frac{6}{11} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$

Adding Negative Mixed Fractions (E) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-1\frac{2}{3}\right) + 4\frac{3}{8} = \left(-\frac{5}{3}\right) + \frac{35}{8} = \left(-\frac{40}{24}\right) + \frac{105}{24} = \frac{65}{24} = 2\frac{17}{24}$$

$$2. \quad \left(-2\frac{1}{4}\right) + \left(-3\frac{2}{11}\right) = \left(-\frac{9}{4}\right) + \left(-\frac{35}{11}\right) = \left(-\frac{99}{44}\right) + \left(-\frac{140}{44}\right) = \left(-\frac{239}{44}\right) = \left(-5\frac{19}{44}\right)$$

$$3. \quad \left(-5\frac{1}{12}\right) + 5\frac{3}{5} = \left(-\frac{61}{12}\right) + \frac{28}{5} = \left(-\frac{305}{60}\right) + \frac{336}{60} = \frac{31}{60}$$

$$4. \quad \left(-5\frac{6}{7}\right) + 2\frac{1}{3} = \left(-\frac{41}{7}\right) + \frac{7}{3} = \left(-\frac{123}{21}\right) + \frac{49}{21} = \left(-\frac{74}{21}\right) = \left(-3\frac{11}{21}\right)$$

$$5. \quad \left(-1\frac{1}{8}\right) + \left(-1\frac{3}{11}\right) = \left(-\frac{9}{8}\right) + \left(-\frac{14}{11}\right) = \left(-\frac{99}{88}\right) + \left(-\frac{112}{88}\right) = \left(-\frac{211}{88}\right) = \left(-2\frac{35}{88}\right)$$

$$6. \quad \left(-2\frac{5}{7}\right) + 1\frac{2}{3} = \left(-\frac{19}{7}\right) + \frac{5}{3} = \left(-\frac{57}{21}\right) + \frac{35}{21} = \left(-\frac{22}{21}\right) = \left(-1\frac{1}{21}\right)$$

$$7. \quad \left(-1\frac{1}{2}\right) + 1\frac{5}{11} = \left(-\frac{3}{2}\right) + \frac{16}{11} = \left(-\frac{33}{22}\right) + \frac{32}{22} = \left(-\frac{1}{22}\right)$$

$$8. \quad \left(-5\frac{1}{2}\right) + 5\frac{9}{11} = \left(-\frac{11}{2}\right) + \frac{64}{11} = \left(-\frac{121}{22}\right) + \frac{128}{22} = \frac{7}{22}$$

$$9. \quad \left(-4\frac{1}{2}\right) + \left(-1\frac{1}{3}\right) = \left(-\frac{9}{2}\right) + \left(-\frac{4}{3}\right) = \left(-\frac{27}{6}\right) + \left(-\frac{8}{6}\right) = \left(-\frac{35}{6}\right) = \left(-5\frac{5}{6}\right)$$

$$10. \quad \left(-4\frac{1}{6}\right) + 4\frac{6}{11} = \left(-\frac{25}{6}\right) + \frac{50}{11} = \left(-\frac{275}{66}\right) + \frac{300}{66} = \frac{25}{66}$$

Adding Negative Mixed Fractions (F)

Name: _____

Date: _____

Score: _____

Calculate each sum.

1. $\left(-5\frac{1}{5}\right) + \frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$

2. $\left(-1\frac{5}{6}\right) + 2\frac{7}{11} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$

3. $\left(-2\frac{3}{5}\right) + 1\frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$

4. $\left(-5\frac{7}{8}\right) + 5\frac{2}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$

5. $\left(-2\frac{5}{12}\right) + 5\frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$

6. $\left(-2\frac{1}{3}\right) + 1\frac{1}{11} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$

7. $\left(-3\frac{1}{11}\right) + \frac{1}{4} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$

8. $\left(-1\frac{1}{4}\right) + 1\frac{10}{11} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$

9. $\left(-4\frac{7}{10}\right) + 2\frac{9}{11} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$

10. $\left(-5\frac{1}{5}\right) + 5\frac{7}{8} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$

Adding Negative Mixed Fractions (F) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-5\frac{1}{5}\right) + \frac{1}{2} = \left(-\frac{26}{5}\right) + \frac{1}{2} = \left(-\frac{52}{10}\right) + \frac{5}{10} = \left(-\frac{47}{10}\right) = \left(-4\frac{7}{10}\right)$$

$$2. \quad \left(-1\frac{5}{6}\right) + 2\frac{7}{11} = \left(-\frac{11}{6}\right) + \frac{29}{11} = \left(-\frac{121}{66}\right) + \frac{174}{66} = \frac{53}{66}$$

$$3. \quad \left(-2\frac{3}{5}\right) + 1\frac{1}{2} = \left(-\frac{13}{5}\right) + \frac{3}{2} = \left(-\frac{26}{10}\right) + \frac{15}{10} = \left(-\frac{11}{10}\right) = \left(-1\frac{1}{10}\right)$$

$$4. \quad \left(-5\frac{7}{8}\right) + 5\frac{2}{3} = \left(-\frac{47}{8}\right) + \frac{17}{3} = \left(-\frac{141}{24}\right) + \frac{136}{24} = \left(-\frac{5}{24}\right)$$

$$5. \quad \left(-2\frac{5}{12}\right) + 5\frac{2}{5} = \left(-\frac{29}{12}\right) + \frac{27}{5} = \left(-\frac{145}{60}\right) + \frac{324}{60} = \frac{179}{60} = 2\frac{59}{60}$$

$$6. \quad \left(-2\frac{1}{3}\right) + 1\frac{1}{11} = \left(-\frac{7}{3}\right) + \frac{12}{11} = \left(-\frac{77}{33}\right) + \frac{36}{33} = \left(-\frac{41}{33}\right) = \left(-1\frac{8}{33}\right)$$

$$7. \quad \left(-3\frac{1}{11}\right) + \frac{1}{4} = \left(-\frac{34}{11}\right) + \frac{1}{4} = \left(-\frac{136}{44}\right) + \frac{11}{44} = \left(-\frac{125}{44}\right) = \left(-2\frac{37}{44}\right)$$

$$8. \quad \left(-1\frac{1}{4}\right) + 1\frac{10}{11} = \left(-\frac{5}{4}\right) + \frac{21}{11} = \left(-\frac{55}{44}\right) + \frac{84}{44} = \frac{29}{44}$$

$$9. \quad \left(-4\frac{7}{10}\right) + 2\frac{9}{11} = \left(-\frac{47}{10}\right) + \frac{31}{11} = \left(-\frac{517}{110}\right) + \frac{310}{110} = \left(-\frac{207}{110}\right) = \left(-1\frac{97}{110}\right)$$

$$10. \quad \left(-5\frac{1}{5}\right) + 5\frac{7}{8} = \left(-\frac{26}{5}\right) + \frac{47}{8} = \left(-\frac{208}{40}\right) + \frac{235}{40} = \frac{27}{40}$$

Adding Negative Mixed Fractions (G)

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-3\frac{1}{2}\right) + 5\frac{2}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$2. \quad \left(-3\frac{4}{11}\right) + \left(-2\frac{5}{12}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$3. \quad \left(-1\frac{2}{3}\right) + 1\frac{2}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$4. \quad \left(-1\frac{8}{9}\right) + 1\frac{1}{2} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$5. \quad \left(-3\frac{5}{11}\right) + 1\frac{5}{8} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$6. \quad \left(-4\frac{3}{5}\right) + \frac{7}{8} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$7. \quad \left(-3\frac{3}{4}\right) + \frac{4}{11} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$8. \quad \left(-4\frac{1}{9}\right) + \left(-4\frac{5}{8}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$9. \quad \left(-1\frac{1}{5}\right) + \left(-3\frac{6}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$10. \quad \left(-5\frac{7}{8}\right) + \frac{8}{9} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

Adding Negative Mixed Fractions (G) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-3\frac{1}{2}\right) + 5\frac{2}{5} = \left(-\frac{7}{2}\right) + \frac{27}{5} = \left(-\frac{35}{10}\right) + \frac{54}{10} = \frac{19}{10} = 1\frac{9}{10}$$

$$2. \quad \left(-3\frac{4}{11}\right) + \left(-2\frac{5}{12}\right) = \left(-\frac{37}{11}\right) + \left(-\frac{29}{12}\right) = \left(-\frac{444}{132}\right) + \left(-\frac{319}{132}\right) = \left(-\frac{763}{132}\right) = \left(-5\frac{103}{132}\right)$$

$$3. \quad \left(-1\frac{2}{3}\right) + 1\frac{2}{5} = \left(-\frac{5}{3}\right) + \frac{7}{5} = \left(-\frac{25}{15}\right) + \frac{21}{15} = \left(-\frac{4}{15}\right)$$

$$4. \quad \left(-1\frac{8}{9}\right) + 1\frac{1}{2} = \left(-\frac{17}{9}\right) + \frac{3}{2} = \left(-\frac{34}{18}\right) + \frac{27}{18} = \left(-\frac{7}{18}\right)$$

$$5. \quad \left(-3\frac{5}{11}\right) + 1\frac{5}{8} = \left(-\frac{38}{11}\right) + \frac{13}{8} = \left(-\frac{304}{88}\right) + \frac{143}{88} = \left(-\frac{161}{88}\right) = \left(-1\frac{73}{88}\right)$$

$$6. \quad \left(-4\frac{3}{5}\right) + \frac{7}{8} = \left(-\frac{23}{5}\right) + \frac{7}{8} = \left(-\frac{184}{40}\right) + \frac{35}{40} = \left(-\frac{149}{40}\right) = \left(-3\frac{29}{40}\right)$$

$$7. \quad \left(-3\frac{3}{4}\right) + \frac{4}{11} = \left(-\frac{15}{4}\right) + \frac{4}{11} = \left(-\frac{165}{44}\right) + \frac{16}{44} = \left(-\frac{149}{44}\right) = \left(-3\frac{17}{44}\right)$$

$$8. \quad \left(-4\frac{1}{9}\right) + \left(-4\frac{5}{8}\right) = \left(-\frac{37}{9}\right) + \left(-\frac{37}{8}\right) = \left(-\frac{296}{72}\right) + \left(-\frac{333}{72}\right) = \left(-\frac{629}{72}\right) = \left(-8\frac{53}{72}\right)$$

$$9. \quad \left(-1\frac{1}{5}\right) + \left(-3\frac{6}{11}\right) = \left(-\frac{6}{5}\right) + \left(-\frac{39}{11}\right) = \left(-\frac{66}{55}\right) + \left(-\frac{195}{55}\right) = \left(-\frac{261}{55}\right) = \left(-4\frac{41}{55}\right)$$

$$10. \quad \left(-5\frac{7}{8}\right) + \frac{8}{9} = \left(-\frac{47}{8}\right) + \frac{8}{9} = \left(-\frac{423}{72}\right) + \frac{64}{72} = \left(-\frac{359}{72}\right) = \left(-4\frac{71}{72}\right)$$

Adding Negative Mixed Fractions (H)

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-2\frac{7}{10}\right) + 5\frac{2}{3} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$2. \quad \left(-1\frac{4}{7}\right) + \left(-3\frac{7}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$3. \quad \left(-5\frac{1}{10}\right) + 5\frac{1}{3} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$4. \quad \left(-2\frac{2}{3}\right) + 3\frac{3}{4} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$5. \quad \left(-2\frac{3}{8}\right) + 2\frac{6}{7} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$6. \quad \left(-1\frac{1}{3}\right) + \left(-1\frac{4}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$7. \quad \left(-3\frac{1}{6}\right) + \frac{3}{7} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$8. \quad \left(-2\frac{1}{10}\right) + 3\frac{8}{9} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$9. \quad \left(-2\frac{5}{6}\right) + \left(-5\frac{2}{5}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$10. \quad \left(-1\frac{3}{8}\right) + 5\frac{2}{3} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

Adding Negative Mixed Fractions (H) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-2\frac{7}{10}\right) + 5\frac{2}{3} = \left(-\frac{27}{10}\right) + \frac{17}{3} = \left(-\frac{81}{30}\right) + \frac{170}{30} = \frac{89}{30} = 2\frac{29}{30}$$

$$2. \quad \left(-1\frac{4}{7}\right) + \left(-3\frac{7}{11}\right) = \left(-\frac{11}{7}\right) + \left(-\frac{40}{11}\right) = \left(-\frac{121}{77}\right) + \left(-\frac{280}{77}\right) = \left(-\frac{401}{77}\right) = \left(-5\frac{16}{77}\right)$$

$$3. \quad \left(-5\frac{1}{10}\right) + 5\frac{1}{3} = \left(-\frac{51}{10}\right) + \frac{16}{3} = \left(-\frac{153}{30}\right) + \frac{160}{30} = \frac{7}{30}$$

$$4. \quad \left(-2\frac{2}{3}\right) + 3\frac{3}{4} = \left(-\frac{8}{3}\right) + \frac{15}{4} = \left(-\frac{32}{12}\right) + \frac{45}{12} = \frac{13}{12} = 1\frac{1}{12}$$

$$5. \quad \left(-2\frac{3}{8}\right) + 2\frac{6}{7} = \left(-\frac{19}{8}\right) + \frac{20}{7} = \left(-\frac{133}{56}\right) + \frac{160}{56} = \frac{27}{56}$$

$$6. \quad \left(-1\frac{1}{3}\right) + \left(-1\frac{4}{11}\right) = \left(-\frac{4}{3}\right) + \left(-\frac{15}{11}\right) = \left(-\frac{44}{33}\right) + \left(-\frac{45}{33}\right) = \left(-\frac{89}{33}\right) = \left(-2\frac{23}{33}\right)$$

$$7. \quad \left(-3\frac{1}{6}\right) + \frac{3}{7} = \left(-\frac{19}{6}\right) + \frac{3}{7} = \left(-\frac{133}{42}\right) + \frac{18}{42} = \left(-\frac{115}{42}\right) = \left(-2\frac{31}{42}\right)$$

$$8. \quad \left(-2\frac{1}{10}\right) + 3\frac{8}{9} = \left(-\frac{21}{10}\right) + \frac{35}{9} = \left(-\frac{189}{90}\right) + \frac{350}{90} = \frac{161}{90} = 1\frac{71}{90}$$

$$9. \quad \left(-2\frac{5}{6}\right) + \left(-5\frac{2}{5}\right) = \left(-\frac{17}{6}\right) + \left(-\frac{27}{5}\right) = \left(-\frac{85}{30}\right) + \left(-\frac{162}{30}\right) = \left(-\frac{247}{30}\right) = \left(-8\frac{7}{30}\right)$$

$$10. \quad \left(-1\frac{3}{8}\right) + 5\frac{2}{3} = \left(-\frac{11}{8}\right) + \frac{17}{3} = \left(-\frac{33}{24}\right) + \frac{136}{24} = \frac{103}{24} = 4\frac{7}{24}$$

Adding Negative Mixed Fractions (I)

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \left(-3\frac{1}{4}\right) + \left(-1\frac{2}{3}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$2. \left(-4\frac{2}{3}\right) + 4\frac{5}{11} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$3. \left(-1\frac{5}{8}\right) + \left(-5\frac{2}{3}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$4. \left(-2\frac{7}{8}\right) + 5\frac{5}{7} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$5. \left(-4\frac{9}{11}\right) + 5\frac{5}{6} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$6. \left(-1\frac{2}{7}\right) + 2\frac{2}{3} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$7. \left(-4\frac{2}{3}\right) + \left(-2\frac{9}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$8. \left(-4\frac{1}{3}\right) + \left(-1\frac{1}{4}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$9. \left(-5\frac{7}{8}\right) + \left(-1\frac{7}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$10. \left(-3\frac{7}{8}\right) + \left(-1\frac{2}{11}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

Adding Negative Mixed Fractions (I) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-3\frac{1}{4}\right) + \left(-1\frac{2}{3}\right) = \left(-\frac{13}{4}\right) + \left(-\frac{5}{3}\right) = \left(-\frac{39}{12}\right) + \left(-\frac{20}{12}\right) = \left(-\frac{59}{12}\right) = \left(-4\frac{11}{12}\right)$$

$$2. \quad \left(-4\frac{2}{3}\right) + 4\frac{5}{11} = \left(-\frac{14}{3}\right) + \frac{49}{11} = \left(-\frac{154}{33}\right) + \frac{147}{33} = \left(-\frac{7}{33}\right)$$

$$3. \quad \left(-1\frac{5}{8}\right) + \left(-5\frac{2}{3}\right) = \left(-\frac{13}{8}\right) + \left(-\frac{17}{3}\right) = \left(-\frac{39}{24}\right) + \left(-\frac{136}{24}\right) = \left(-\frac{175}{24}\right) = \left(-7\frac{7}{24}\right)$$

$$4. \quad \left(-2\frac{7}{8}\right) + 5\frac{5}{7} = \left(-\frac{23}{8}\right) + \frac{40}{7} = \left(-\frac{161}{56}\right) + \frac{320}{56} = \frac{159}{56} = 2\frac{47}{56}$$

$$5. \quad \left(-4\frac{9}{11}\right) + 5\frac{5}{6} = \left(-\frac{53}{11}\right) + \frac{35}{6} = \left(-\frac{318}{66}\right) + \frac{385}{66} = \frac{67}{66} = 1\frac{1}{66}$$

$$6. \quad \left(-1\frac{2}{7}\right) + 2\frac{2}{3} = \left(-\frac{9}{7}\right) + \frac{8}{3} = \left(-\frac{27}{21}\right) + \frac{56}{21} = \frac{29}{21} = 1\frac{8}{21}$$

$$7. \quad \left(-4\frac{2}{3}\right) + \left(-2\frac{9}{11}\right) = \left(-\frac{14}{3}\right) + \left(-\frac{31}{11}\right) = \left(-\frac{154}{33}\right) + \left(-\frac{93}{33}\right) = \left(-\frac{247}{33}\right) = \left(-7\frac{16}{33}\right)$$

$$8. \quad \left(-4\frac{1}{3}\right) + \left(-1\frac{1}{4}\right) = \left(-\frac{13}{3}\right) + \left(-\frac{5}{4}\right) = \left(-\frac{52}{12}\right) + \left(-\frac{15}{12}\right) = \left(-\frac{67}{12}\right) = \left(-5\frac{7}{12}\right)$$

$$9. \quad \left(-5\frac{7}{8}\right) + \left(-1\frac{7}{11}\right) = \left(-\frac{47}{8}\right) + \left(-\frac{18}{11}\right) = \left(-\frac{517}{88}\right) + \left(-\frac{144}{88}\right) = \left(-\frac{661}{88}\right) = \left(-7\frac{45}{88}\right)$$

$$10. \quad \left(-3\frac{7}{8}\right) + \left(-1\frac{2}{11}\right) = \left(-\frac{31}{8}\right) + \left(-\frac{13}{11}\right) = \left(-\frac{341}{88}\right) + \left(-\frac{104}{88}\right) = \left(-\frac{445}{88}\right) = \left(-5\frac{5}{88}\right)$$

Adding Negative Mixed Fractions (J)

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \left(-3\frac{1}{3}\right) + \left(-1\frac{1}{8}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$2. \left(-3\frac{1}{3}\right) + \left(-4\frac{2}{5}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$3. \left(-4\frac{2}{3}\right) + 5\frac{1}{2} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$4. \left(-2\frac{5}{8}\right) + \left(-5\frac{1}{9}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$5. \left(-4\frac{1}{3}\right) + \left(-3\frac{1}{4}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$6. \left(-4\frac{8}{9}\right) + 4\frac{3}{4} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad}$$

$$7. \left(-1\frac{3}{4}\right) + \frac{3}{5} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$8. \left(-1\frac{4}{11}\right) + \left(-1\frac{1}{9}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$9. \left(-5\frac{1}{9}\right) + 3\frac{1}{2} = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$10. \left(-4\frac{2}{3}\right) + \left(-1\frac{1}{2}\right) = \underline{\quad} + \underline{\quad} = \underline{\quad} + \underline{\quad} = \underline{\quad} = \underline{\quad}$$

Adding Negative Mixed Fractions (J) Answers

Name: _____

Date: _____

Score: _____

Calculate each sum.

$$1. \quad \left(-3\frac{1}{3}\right) + \left(-1\frac{1}{8}\right) = \left(-\frac{10}{3}\right) + \left(-\frac{9}{8}\right) = \left(-\frac{80}{24}\right) + \left(-\frac{27}{24}\right) = \left(-\frac{107}{24}\right) = \left(-4\frac{11}{24}\right)$$

$$2. \quad \left(-3\frac{1}{3}\right) + \left(-4\frac{2}{5}\right) = \left(-\frac{10}{3}\right) + \left(-\frac{22}{5}\right) = \left(-\frac{50}{15}\right) + \left(-\frac{66}{15}\right) = \left(-\frac{116}{15}\right) = \left(-7\frac{11}{15}\right)$$

$$3. \quad \left(-4\frac{2}{3}\right) + 5\frac{1}{2} = \left(-\frac{14}{3}\right) + \frac{11}{2} = \left(-\frac{28}{6}\right) + \frac{33}{6} = \frac{5}{6}$$

$$4. \quad \left(-2\frac{5}{8}\right) + \left(-5\frac{1}{9}\right) = \left(-\frac{21}{8}\right) + \left(-\frac{46}{9}\right) = \left(-\frac{189}{72}\right) + \left(-\frac{368}{72}\right) = \left(-\frac{557}{72}\right) = \left(-7\frac{53}{72}\right)$$

$$5. \quad \left(-4\frac{1}{3}\right) + \left(-3\frac{1}{4}\right) = \left(-\frac{13}{3}\right) + \left(-\frac{13}{4}\right) = \left(-\frac{52}{12}\right) + \left(-\frac{39}{12}\right) = \left(-\frac{91}{12}\right) = \left(-7\frac{7}{12}\right)$$

$$6. \quad \left(-4\frac{8}{9}\right) + 4\frac{3}{4} = \left(-\frac{44}{9}\right) + \frac{19}{4} = \left(-\frac{176}{36}\right) + \frac{171}{36} = \left(-\frac{5}{36}\right)$$

$$7. \quad \left(-1\frac{3}{4}\right) + \frac{3}{5} = \left(-\frac{7}{4}\right) + \frac{3}{5} = \left(-\frac{35}{20}\right) + \frac{12}{20} = \left(-\frac{23}{20}\right) = \left(-1\frac{3}{20}\right)$$

$$8. \quad \left(-1\frac{4}{11}\right) + \left(-1\frac{1}{9}\right) = \left(-\frac{15}{11}\right) + \left(-\frac{10}{9}\right) = \left(-\frac{135}{99}\right) + \left(-\frac{110}{99}\right) = \left(-\frac{245}{99}\right) = \left(-2\frac{47}{99}\right)$$

$$9. \quad \left(-5\frac{1}{9}\right) + 3\frac{1}{2} = \left(-\frac{46}{9}\right) + \frac{7}{2} = \left(-\frac{92}{18}\right) + \frac{63}{18} = \left(-\frac{29}{18}\right) = \left(-1\frac{11}{18}\right)$$

$$10. \quad \left(-4\frac{2}{3}\right) + \left(-1\frac{1}{2}\right) = \left(-\frac{14}{3}\right) + \left(-\frac{3}{2}\right) = \left(-\frac{28}{6}\right) + \left(-\frac{9}{6}\right) = \left(-\frac{37}{6}\right) = \left(-6\frac{1}{6}\right)$$